



AGRO TIGER

OUR PAST IS
YOUR FUTURE



ABOUT US

Our company was established in Afyon Sandıklı in 1960 and started its activities in the mirage and bolt sector. It has achieved a very rapid development in a short time and has a wide range of products in the "agricultural machinery" sector by realizing its own production. By determining customer satisfaction as our focus, we strive to understand our customers needs and meet their expectations. We aim to provide reliable and durable products by adhering to our quality standards. We care about our supplier relationships and cooperate with suppliers who provide high-quality materials and services. At every stage, we prioritize quality and focus on providing solutions that enhance the efficiency of our farmers.

In addition to production, we actively engage in R&D activities to ensure continuous improvement. By closely following advancements in technology, we design and produce products that meet the demands of modern agriculture.

Today, AgroTiger, which operates in a production area of 37,000 m², produces 1,000 machines annually and exports its products to more than 47 countries in 6 continents. The company, which also stands out by producing the longest corn and sunflower header in Turkey, works in accordance with ISO 9001 quality standards and serves farmers with its wide dealer network.

AgroTiger continues to add value to the agricultural sector with its customer satisfaction and innovation-oriented works from past to present.



1

9

6

0

SINCE



AGRO TIGER

Dear Valued Partners,

As Elibol Agricultural Machinery, we are proud to announce our new project starting under our Agro Tiger brand in 2025, aimed at providing you more efficient and reliable service. In addition to our existing production portfolio, we started supplying products from trusted domestic manufacturers; whose quality, durability, and performance meet our high standards, all under quality assurance of Elibol.

With this supply management, we aim to meet your various agricultural equipment needs under one roof which let your esteemed organization to save transportation & time costs. Every product group we select is carefully evaluated to comply with Elibol's high-quality standards and chosen for reliability and outstanding performance.

Our collaboration with Turkiye's esteemed domestic manufacturers brings you cost-effective products without compromising on quality.

As we expand our wide product range for supply of agricultural products day by day, we are at your disposal for any of your agricultural needs.

Your sincerely,
Agro Tiger

By Elibol.

Your reliable solution partner since 1960.



PRODUCTS

CULTIVATOR



4

HARROW



5-10

CHIZEL



11-12

HARROW



13

ROLLER



14

BUCKETS



15-17

LandAligner



18

RAKES



19-22

DRUM MOVER
(hydraulic&garden type)

23

TOPPER MOVER &
DRUM MOVER

24

ULTRA&PRO&ECO SERIES



25-26

DRY BEAN LEGUME



27

SPRAYING MACHINE



28

PLANTING &SOWING
MACHINE

29



AGRO TIGER

POWER CULTIVATOR



Model Type	Açıklama Explanation	Ağırlık (kg) Weight	Güç (hp) Power	Çalışma Genişliği (mm) Working With	Ön Arka Uzunluk (mm) Front-Back Length	Çatı Yüksekliği (mm) Roof Height	Makina Yüksekliği (mm) Machine Height
KYK2-07	2 Sıra 7 Ayak	430	50-80	1850	1350	700	1350
KYK2-09	2 Sıra 9 Ayak	540	55-80	2350	1350	700	1350
KYK2-11	2 Sıra 11 Ayak	650	60-90	2850	1350	700	1350
KYK2-13	2 Sıra 13 Ayak	755	70-100	3400	1350	700	1350
KYK2-15	2 Sıra 15 Ayak	860	80-120	3950	1350	700	1350
KYKM2-07	2 Sıra 7 Ayak Merdaneli	580	50-80	1850	2350	700	1350
KYKM2-09	2 Sıra 9 Ayak Merdaneli	730	55-80	2350	2350	700	1350
KYKM2-11	2 Sıra 11 Ayak Merdaneli	830	60-90	2850	2350	700	1350
KYKM2-13	2 Sıra 13 Ayak Merdaneli	950	70-100	3400	2350	700	1350
KYKM2-15	2 Sıra 15 Ayak Merdaneli	1070	80-120	3950	2350	700	1350
KYK3-11	2 Sıra 11 Ayak	655	60-90	2850	1650	700	1350
KYK3-13	3 Sıra 13 Ayak	770	70-100	3400	1650	700	1350
KYK3-15	3 Sıra 15 Ayak	920	80-120	3900	1650	700	1350
KYKM3-11	3 Sıra 11 Ayak Merdaneli	855	60-90	2850	2350	700	1350
KYKM3-13	3 Sıra 13 Ayak Merdaneli	970	70-100	3400	2350	700	1350
KYKM3-15	3 Sıra 15 Ayak Merdaneli	1130	80-120	3900	2350	700	1350



AGRO TIGER

JAGUAR-DISKAROU



MODEL TYPE	DİSK SAYISI NUMBER OF DISC	İŞ GENİŞLİĞİ CM WORKING WITH	YOL GENİŞLİĞİ CM ROAD WITH	AĞIRLIK KĞ (56 CM DİSK) WEIGHT (56 cm disc)	AĞIRLIK KĞ (61 CM DİSK) WEIGHT (61 cm disc)	GÜÇ HP POWER	YÜKSEKLİK (56 CM) HEIGHT	YÜKSEKLİK (61 CM) HEIGHT
KJD20	20	250 CM	280CM	1350/1400	1450/1500	70-90	145 CM	155 CM
KJD24	24	300 CM	330 CM	1500/1550	1620/1670	90-110	145 CM	155 CM
KJD28	28	350 CM	380 CM	1650/1700	1790/1840	110-130	145 CM	155 CM



AGRO TIGER

SPRING DISC HARROW



Model Type	Disk Sayısı Number Of Disc	Ağırlık (kg) Weight	İş Geniřliđi (mm) Working With	Güç (hp) Power	Sürme Derinliđi (mm) Working Depth
KYGD16	16 Disk	930	2000	55-65	250
KYGD18	18 Disk	1030	2250	65-75	250
KYGD20	20 Disk	1120	2500	75-85	250
KYGD22	22 Disk	1270	2750	85-95	250
KYGD24	24 Disk	1360	3000	95-110	250
KYGD26	26 Disk	1460	3250	110-120	250
KYGD28	28 Disk	1550	3500	120-130	250
KYGD30	30 Disk	1640	3750	130-140	250
KYGD32	32 Disk	1730	4000	140-150	250
KYGD34	34 Disk	1870	4250	150-170	250
KYGD16	16 Disk Merdaneli	1200	2000	55-65	250
KYGD18	18 Disk Merdaneli	1320	2250	65-75	250
KYGD20	20 Disk Merdaneli	1410	2500	75-85	250
KYGD22	22 Disk Merdaneli	1600	2750	85-95	250
KYGD24	24 Disk Merdaneli	1715	3000	95-110	250
KYGD26	26 Disk Merdaneli	1805	3250	110-120	250
KYGD28	28 Disk Merdaneli	1905	3500	120-130	250
KYGD30	30 Disk Merdaneli	2020	3750	130-140	250
KYGD32	32 Disk Merdaneli	2130	4000	140-150	250
KYGD34	34 Disk Merdaneli	2235	4250	150-170	250



AGRO TIGER




Model Type	Disk Sayısı Number of Disc	Disk Çapı Disc Dimension	Disk Arası Space	Yatak Adedi Bearing Block	Güç Bg Power	Şase Profil Ölçüleri Main Frame	Çalışma Geniřlięi Working With	Aęırlık (kg) Weight
KSGD18	18	660 mm	230 mm	6	60-70	100*200*6 mm	185 cm	1680
KSGD20	20	660 mm	230 mm	8	70-80	100*200*6 mm	207 cm	1830
KSGD22	22	660 mm	230 mm	8	80-90	100*200*6 mm	230 cm	1930
KSGD24	24	660 mm	230 mm	8	90-100	100*200*6 mm	253 cm	2030
KSGD26	26	660 mm	230 mm	8	100-110	100*200*6 mm	276 cm	2130
KSGD28	28	660 mm	230 mm	8	110-120	100*200*6 mm	299 cm	2250
KSGD30	30	660 mm	230 mm	8	120-130	100*200*6 mm	322 cm	2370
KSGD32	32	660 mm	230 mm	8	130-140	100*200*6 mm	345 cm	2490
KSGD34	34	660 mm	230 mm	8	140-150	100*200*6 mm	368 cm	2610
KSGD36	36	660 mm	230 mm	8	150-160	100*200*6 mm	391 cm	2730



AGRO TIGER

X TYPE DISC HARROW (WHEELED)



Model Type	Disk Sayısı Number of Disc	Disk Çapı Disc Dimension	Disk Arası Space	Yatak Adedi Bearing Block	Güç Bg Power	Şase Profil Ölçüleri Main Frame	Çalışma Geniřlięi Working With	Aęırlık (kg) Weight
KMGD16	16	560 mm	230 mm	4	55-65 hp	100*150*5 mm	162 cm	845 kg
KMGD18	18	560 mm	230 mm	4	65-75 hp	100*150*5 mm	185 cm	1030 kg
KMGD20	20	560 mm	230 mm	6	75-85 hp	100*150*5 mm	207 cm	1140 kg
KMGD22	22	560 mm	230 mm	8	85-95 hp	100*150*5 mm	230 cm	1255 kg
KMGD24	24	560 mm	230 mm	8	95-105 hp	100*150*5 mm	253 cm	1365 kg




AGRO TIGER



Model Type	Disk Sayısı Number of Disc	Disk Çapı Disc Dimension	Disk Arası Space	Yatak Adedi Bearing Block	Güç Bg Power	Şase Profil Ölçüleri Main Frame	Çalışma Geniřliđi Working With	Ađırlık (kg) Weight
KAÇD24	24	510 mm	180 mm	8	50-60	100*100*5 mm	205 cm	810
KAÇD28	28	510 mm	180 mm	8	60-70	100*100*5 mm	245 cm	885
KAÇD32	32	510 mm	180 mm	8	70-80	100*100*5 mm	285 cm	960
KAÇD36	36	510 mm	180 mm	12	80-90	100*100*5 mm	325 cm	1045
KAÇD40	40	510 mm	180 mm	12	90-100	100*100*5 mm	365 cm	1130
KAÇD44	44	510 mm	180 mm	12	100-110	100*100*5 mm	405 cm	1215
KAÇD48	48	510 mm	180 mm	12	110-120	100*100*5 mm	445 cm	1300



AGRO TIGER



Model Type	Disk Sayısı Number of Disc	Disk Çapı Disc Dimension	Disk Arası Space	Çalışma Genişliği Working With	Çalışma Derinliği Working Depth	Ağırlık (kg) Weight	Güç Bg Power
KXD20	20	510	180 mm	190	15	650	50-60
KXD24	24	510	180 mm	228	15	700	60-70
KXD28	28	510	180 mm	266	15	790	70-80
KXD32	32	510	180 mm	304	15	840	80-100
KXD36	36	510	180 mm	342	15	880	100-120



AGRO TIGER



Model Type	Açıklama Explanation	Ağırlık (kg) Weight	Güç (hp) Power	Çalışma Genişliği (mm) Working With	Çatı Yüksekliği (mm) Roof Height	Sürme Derinliği (mm) Working Depth
KYÇ-5	5 Ayak Yaylı Çizel Yan Bıçaklı	520	50-70	1750	750	400-450
KYÇ-7	7 Ayak Yaylı Çizel Yan Bıçaklı	580	70-100	2400	750	400-450
KYÇ-9	9 Ayak Yaylı Çizel Yan Bıçaklı	740	90-120	3100	750	400-450
KYÇ-11	11 Ayak Yaylı Çizel Yan Bıçaklı	890	100-130	3800	750	400-450
KYÇ-13	13 Ayak Yaylı Çizel Yan Bıçaklı	1010	110-140	4500	750	400-450
KYÇM-5	5 Ayak Yaylı Çizel Yan Bıçaklı Merdaneli	670	50-70	1750	750	400-450
KYÇM-7	7 Ayak Yaylı Çizel Yan Bıçaklı Merdaneli	780	70-100	2400	750	400-450
KYÇM-9	9 Ayak Yaylı Çizel Yan Bıçaklı Merdaneli	950	90-120	3100	750	400-450
KYÇM-11	11 Ayak Yaylı Çizel Yan Bıçaklı Merdaneli	1120	100-130	3800	750	400-450
KYÇM-13	13 Ayak Yaylı Çizel Yan Bıçaklı Merdaneli	1250	110-140	4500	750	400-450



AGRO TIGER



Model Type	Bacak Sayısı (Adet) The Number of Legs (Number)	Bacak Arası Mesafe (cm) The Distance Between The Legs	Ağırlık (kg) Weight	Toplam Genişlik Total With	Şase Profil Ölçüleri Main Frame	İş Genişliği Working With	Güç (hp) Power
KÇP-5	5	25 cm	285 kg	150 cm	100*100*6 mm	120 cm	50-60
KÇP-7	7	25 cm	425 kg	200 cm	100*100*6 mm	170 cm	70-80
KÇP-9	9	25 cm	550 kg	250 cm	100*100*8 mm	220 cm	80-90
KÇP-11	11	25 cm	680 kg	300 cm	100*100*8 mm	270 cm	90-100
KÇP-13	13	25 cm	830 kg	350 cm	100*100*8 mm	320 cm	100-120



AGRO TIGER



Model Type	Diş Sayısı Tooth Pieces	İş Genişliği (cm) Working With	Güç (hp) Power	Ağırlık (kg) Weight	Ön-Arka Uzunluk (cm) Front - Back Length	Çatı Yüksekliği (cm) Roof Height	Makina Genişliği (cm) Machine Width
KDT70	70	375 cm	60-70	660	180 cm	110 cm	375 cm
KDT80	80	425 cm	70-80	755	180 cm	110 cm	425 cm
KDT90	90	475 cm	80-100	850	180 cm	110 cm	475 cm
KDTM70	70	375 cm	60-70	925	220 cm	110 cm	375 cm
KDTM80	80	425 cm	70-80	1055	220 cm	110 cm	425 cm
KDTM90	90	475 cm	80-100	1190	220 cm	110 cm	475 cm



AGRO TIGER



Model Type	Merdane apı Casting (cm)	İř Geniřlięi Working With	Toplam Uzunluk Total Length (cm)	Aęırlık (kg) Weight
DKM-20	33	200	220	450
DKM-22	33	220	240	500
DKM-24	33	240	260	550
DKM-26	33	275	300	630
DKM-28	33	295	320	680
DKM-30	33	315	340	730
DKM-32	33	335	360	780



AGRO TIGER



Model Type	Kova Geniřliđi Bucket Width	Kaldırma Yüksekliđi Lift Height	Bořaltma Yüksekliđi Discharge Height	Ađırlık (kg) Weight	Yükseklik Height	Güç (hp) Power
KAK	150 cm	410 cm	330 cm	430	205 cm	55-100



AGRO TIGER

CURVE BUCKET



TILTING BUCKET



AGRO TIGER

EXTENDED BUCKET



LEVELING BALL






	LandAligner 3	LandAligner 3.5	LandAligner 4	LandAligner 5	LandAligner 5.5	LandAligner 6
Blade Width	300 cm	350	400	450 cm	550 cm	600 cm
Length	525 cm	70-80	755	180 cm	110 cm	425 cm
Width	244,5 cm	244,5 cm	244,5cm	244,5cm	244,5cm	244,5cm
Wheel Operation Width	296 cm	346 cm	346 cm	346 cm	449 cm	541 cm
Hidrolik control System	Independent	Independent	Independent	Independent	Independent	Independent
Min.Engine Power	75 hp	90 hp	100 hp	110 hp	125 hp	150 hp




AGRO TIGER

Side Rake 9/70/71 Whee/ Side Rake



MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS	WHEEL
9	800 cm	550cm	240cm	950 kg	175 cm	9	3
10	900 cm	600cm	240cm	1000 kg	175 cm	10	3
11	1000 cm	650cm	240cm	1050 kg	175 cm	11	3

10 Wheel Carted Hay Rake



MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS	WHEEL
10	760 cm	570-700cm	300cm	640 kg	140 cm	10	2




AGRO TIGER

8 Wheel Cartadet Hay Rake



MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS	WHEEL
8	670 cm	500-550cm	300cm	580 kg	140 cm	8	2

5 Wheel Hay Rake




MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS
5	530 cm	330-380cm	230cm	205kg	140 cm	8




AGRO TIGER

4 Wheel Hay Rake



MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS
4	425 cm	270-320cm	140cm	160kg	140 cm	4

3 Wheel Hay Rake




MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS
3	300 cm	150-200cm	140cm	130kg	140 cm	3



AGRO TIGER

2 Wheel Hay Rake



MODEL	LENGTH	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS
2	200 cm	125-150cm	140cm	70kg	140 cm	2

RotaryRake



MODEL	ARM NUMBER	WORKING WIDTH	TRANSPORT WIDTH	WEIGHT	HEIGHT	STAR WHEELS	TAIL SHAFT REVOLUTION
300	9	300-350 cm	150 cm	360 kg	150 cm	2	540



AGRO TIGER

Drum Mower Hydraulic



MODEL	DRUM NUMBER	BLADE NUMBER	WORKING WIDTH	WEIGHT	HEIGHT	TRACTOR POWER	TAIL SHAFT REVOLUTION
195	2	8	190 cm	440 kg	110 cm	60-75 hp	540

Drum Mower Garden Type



MODEL	DRUM NUMBER	BLADE NUMBER	WORKING WIDTH	WEIGHT	HEIGHT	TRACTOR POWER	TAIL SHAFT REVOLUTION
165	2	6	135 cm	250 kg	125 cm	25-45 hp	540
165	2	6	165 cm	310 kg	125 cm	25-45 hp	540
165	2	8	195 cm	340 kg	125 cm	60-70 hp	540



AGRO TIGER

Drum Mower



MODEL	DRUM NUMBER	BLADE NUMBER	WORKING WIDTH	WEIGHT	HEIGHT	TRACTOR POWER	TAIL SHAFT REVOLUTION
135	2	6	135 cm	300 kg	110 cm	25-45 hp	540
165	2	6	165 cm	360 kg	110 cm	30-45 hp	540

Topper Mower



MODEL	BLADE NUMBER	CHAIN	TRACTOR REVOLUTION	WORKING WIDTH	HEIGHT	TRANSPORT WIDTH
120	3	2	540cm	120 cm	110 cm	125 cm
150	3	2	540cm	150 cm	110 cm	155 cm
180	3	3	540cm	180 cm	110 cm	185 cm



AGRO TIGER

Assistan Bucket



MODEL	NUMBER OF PISTONS	BUCKET WIDTH	CARRYING CAPACITY	TRACTOR POWER	KG
150	3	150 cm	800 kg	60 hp	430 cm
170	3	170 cm	800 kg	60 hp	440 cm

ULTRA SERIES



MODEL TYPE	MIXER TYPE	DISPENSER DISC PIECE	NUMBER OF WINGS ON EACH DISC	PTO SPEED (S/min)	OPERATING SPEED (Km/h)	WORKING WIDTH	DRY WEIGHT	FERTILIZER FILLING CAPACITY(t)	HEIGHT (cm)	WIDTH (cm)	LENGTH (cm)
1200	VERTICAL	2	2	540	8-10-12	10-40 m	405 kg	1200	120	147	200
1500	VERTICAL	2	2	540	8-10-12	10-40 m	430 kg	1500	120	167	200



AGRO TIGER

PRO SERIES



MODEL TYPE	MIXER TYPE	DISPENSER DISC PIECE	NUMBER OF WINGS ON EACH DISC	PTO SPEED (S/min)	OPERATING SPEED (Km/h)	WORKING WIDTH	DRY WEIGHT	FERTILIZER FILLING CAPACITY(Lt)	HEIGHT(cm)	WIDTH(cm)	LENGTH(cm)
800	VERTICAL	2	2	540	8-10-12	10-40 M	245 kg	800-850	140	180	106
1000	VERTICAL	2	2	540	8-10-12	10-40 M	270 kg	1000	160	180	106
1200	VERTICAL	2	2	540	8-10-12	10-40 M	295 kg	1200	180	180	106

ECO SERIES



MODEL TYPE	MIXER TYPE	DISPENSER DISC PIECE	NUMBER OF WINGS ON EACH DISC	PTO SPEED (S/min)	OPERATING SPEED (Km/h)	WORKING WIDTH	DRY WEIGHT	FERTILIZER FILLING CAPACITY(Lt)	HEIGHT(cm)	WIDTH(cm)	LENGTH(cm)
ECO 400	VERTICAL	1	4	540	8-10-12	10-25 M	120 kg	400	95	105	130
ECO 500	VERTICAL	1	4	540	8-10-12	10-25 M	128 kg	500	95	110	130
ECO 600	VERTICAL	1	4	540	8-10-12	10-25 M	142 kg	600	105	115	150
ECO 800	VERTICAL	1	4	540	8-10-12	10-25 M	147 kg	800	125	160	110
ECO 1000	VERTICAL	1	4	540	8-10-12	10-25 M	157 kg	1000	125	175	110
ECO C600	VERTICAL	2	4	540	8-10-12	10-30 M	204 kg	600	115	108	160
ECO C800	VERTICAL	2	4	540	8-10-12	10-30 M	210 kg	800	115	117	160
ECO C1000	VERTICAL	2	4	540	8-10-12	10-30 M	216 kg	1000	115	128	170
ECO C1200	VERTICAL	2	4	540	8-10-12	10-30 M	226 kg	1200	115	134	190




AGRO TIGER

DRY BEAN & LEGUME HARVESTER MACHINE



LENGTH(cm)	WIDTH(cm)	HEIGHT(cm)	WEIGHT(kg) (Beans/Chickpea Harvester)	WEIGHT(kg) (Lentil Harvester)	FORGING HOPPER CAPACITY(cm)	PICKUP WITH FRONT TO GROUND(cm)	REQUIRED HYDRAULIC OUTPUT	REVOLUTIONS PER MINUTES	PRODUCT TANK VOLUME(m ³)	REQUIRED POWER(PS/HP)	TIRE SIZE
570	260	326	2800	3100	120	175	4	540	0,85	60-80	11,5/80-15,3

DRY BEAN & LEGUME DIGGER / REMOVER MACHINE



WORK CAPACITY	TRACTOR POWER	WEIGHT(kg)	WORKING WIDTH(cm)	WIDTH(cm)	HEIGHT(cm)	LENGTH(cm)	TRANSPORT WIDTH
15	85	1500	233	288	157	375	240



AGRO TIGER

SPRAYDEN X MODEL



MODEL	ES-800 • ES-1000 • ES-1200			
	ES-105	ES-125	ES-145	Tip
Pompa Tipi/Pump Type	105	125	145	Lt/dk
Pompa Debisi/Pump Flow Rate	50	50	50	Bar
Pompa Basıncı/Pump Pressure	Hidrolik			Tip
İlaçlama Kolu Yüksekliği Ayarı/Spraying Arm Height Adjustment	Hüzmeli Pirinç			Tip
Nozul Tipi/Nozzle Type	30			Adet
Nozul Sayısı/Number of Nozzles	50			Cm
Nozul Arası Mesafe/Distance Between Nozzles	70 - 90			BG
Gereken Güç/Required Power	540			Dev/Dk
Çalışma Devri/Working Cycle	Hidrolik (Hydraulic)			Tip
İlaçlama Kolu Katlanması/Folding the Spraying Handle				

MODEL	ES-1000				Tip
	ES-105	ES-125	ES-145	ES-165	
Pompa Tipi/Pump Type	105	125	145	165	Lt/dk
Pompa Debisi/Pump Flow Rate	50	50	50	50	Bar
Pompa Basıncı/Pump Pressure	Hidrolik				Tip
İlaçlama Kolu Yüksekliği Ayarı/Spraying Arm Height Adjustment	Hüzmeli Pirinç				Tip
Nozul Tipi/Nozzle Type	33				Adet
Nozul Sayısı/Number of Nozzles	50				Cm
Nozul Arası Mesafe/Distance Between Nozzles	70 - 90				BG
Gereken Güç/Required Power	540				Dev/Dk
Çalışma Devri/Working Cycle	Yarı Hidrolik (Half Hydraulic)				Tip
İlaçlama Kolu Katlanması/Folding the Spraying Handle					

ESDORU MODEL



MODEL	ES-800 • ES-1000 • ES-1200			
	ES-105	ES-125	ES-145	Tip
Pompa Tipi/Pump Type	105	125	145	Lt/dk
Pompa Debisi/Pump Flow Rate	50	50	50	Bar
Pompa Basıncı/Pump Pressure	Hidrolik			Tip
İlaçlama Kolu Yüksekliği Ayarı/Spraying Arm Height Adjustment	Hüzmeli Pirinç			Tip
Nozul Tipi/Nozzle Type	33			Adet
Nozul Sayısı/Number of Nozzles	50			Cm
Nozul Arası Mesafe/Distance Between Nozzles	70 - 90			BG
Gereken Güç/Required Power	540			Dev/Dk
Çalışma Devri/Working Cycle	Yarı Hidrolik (Half Hydraulic)			Tip
İlaçlama Kolu Katlanması/Folding the Spraying Handle				

SPRAYDEN MODEL



AGRO TIGER

PNEUMATIC SOWING MACHINE DOUBLE DISC TYPE



Seed Unit		Width (mm)	Length (mm)	Height (mm)	Seed Capacity (lt)	Fertilizer Capacity (lt)	Required Power (hp)	Working Speed (km/h)	Weight (kg)
4	With Fertilizer	3000	1470	1940	45 x 4	200 x 2	65-70	5-7	1060
	Without Fertilizer	3000	1470	1940	45 x 4	-	65-70	5-7	860
5	With Fertilizer	3250	1470	1940	45 x 5	235 x 2	70-75	5-7	1240
	Without Fertilizer	3250	1470	1940	45 x 5	-	70-75	5-7	960
6	With Fertilizer	4000	1470	1940	45 x 6	300 x 2	75-100	5-7	1450
	Without Fertilizer	4000	1470	1940	45 x 6	-	75-100	5-7	1200
8	With Fertilizer	6000	1470	1940	45 x 8	500 x 2	135+	5-7	2000
	Without Fertilizer	6000	1470	1940	45 x 8	-	135+	5-7	1500

UNIVERSAL PLANTING MACHINE DOUBLE DISC TYPE



Seed Unit		Width (mm)	Length (mm)	Height (mm)	Seed Capacity (lt)	Fertilizer Capacity (lt)	Row Distance (mm)	Required Power (hp)	Working Speed (km/h)	Weight (kg)
15	With Fertilizer	2350	2350	2490	625	-	130	40-50	5-10	885
	Without Fertilizer	2350	2350	2490	342.5	282.5	130	40-50	5-10	915
17	With Fertilizer	2630	2350	2490	700	-	130	50-60	5-10	1000
	Without Fertilizer	2630	2350	2490	380	320	130	50-60	5-10	1030
19	With Fertilizer	2920	2350	2490	780	-	130	60-70	5-10	1120
	Without Fertilizer	2920	2350	2490	430	350	130	60-70	5-10	1150
21	With Fertilizer	3215	2350	2490	850	-	130	70-80	5-10	1230
	Without Fertilizer	3215	2350	2490	460	390	130	70-80	5-10	1250
23	With Fertilizer	3510	2350	2490	937	-	130	80-90	5-10	1320
	Without Fertilizer	3510	2350	2490	512	425	130	80-90	5-10	1350
27	With Fertilizer	4100	2350	2490	1085	-	130	100-110	5-10	1570
	Without Fertilizer	4100	2350	2490	595	490	130	100-110	5-10	1600
31	With Fertilizer	4675	2350	2490	1250	-	130	110-120	5-10	1800
	Without Fertilizer	4675	2350	2490	685	565	130	110-120	5-10	1830



AGRO TIGER

CONTACT US



+90 (332) 503 01 00



agrotiger@agrotiger.com.tr



www.agrotiger.com.tr



Fevziçakmak, Aslım Cad Kobisan
1.Sanayi Sit G Blok 65/H, 42100
Karatay/Konya



AGRO TIGER